

|           |         |          |      |
|-----------|---------|----------|------|
| LOC I-GMX | APP CRS | Rwy Idg  | 8016 |
| 111.55    | 238°    | TDZE     | 26   |
|           |         | Apt Elev | 32   |

ILS Y or LOC RWY 24

WILMINGTON INTL (ILM)

▼

▲

\*\*RVR 1800 authorized with use of FD or AP or HUD to DA.  
ADF required.

MALSR

MISSED APPROACH: Climb to 500  
then climbing right turn to 1800  
direct WILZE LOM and hold.

|                 |                                                                                 |                                          |                        |                  |
|-----------------|---------------------------------------------------------------------------------|------------------------------------------|------------------------|------------------|
| ATIS<br>124.975 | WILMINGTON APP CON ★<br>118.25 284.65 (164°-343°)<br>135.75 317.425 (344°-163°) | WILMINGTON TOWER ★<br>119.9 (CTAF) 239.3 | GND CON<br>121.9 348.6 | UNICOM<br>122.95 |
|-----------------|---------------------------------------------------------------------------------|------------------------------------------|------------------------|------------------|


ALTERNATE MISSED  
APCH FIX

AIRLI

IL : - . .

281

RNAV 1-GPS or RADAR REQUIRED



ELEV 32

D

TDZE 26

HIRL Rwy 6-24 and 17-35

REIL Rwy 6 and 17

FAF to MAP 5.3 NM

|         |      |      |      |      |      |
|---------|------|------|------|------|------|
| Knots   | 60   | 90   | 120  | 150  | 180  |
| Min:Sec | 5:18 | 3:32 | 2:39 | 2:07 | 1:46 |

500

1800

GM

WILZE LOM

One Minute Holding Pattern

VGSI and ILS glidepath not coincident  
(VGSI Angle 3.00/TCH 48).

5.3 NM

| CATEGORY   | A                  | B | C                                      | D |
|------------|--------------------|---|----------------------------------------|---|
| S-ILS 24** | 226/24 200 (200-½) |   |                                        |   |
| S-LOC 24   | 500/24 474 (500-½) |   | 500/50 474 (500-1)                     |   |
| CIRCLING   | 560-1 528 (600-1)  |   | 720-2 920-3<br>688 (700-2) 888 (900-3) |   |